LISTING OF CLAIMS:

This listing of claims provided below will replace all prior versions and listings of claims in the application.

Please amend the claims as follows:

- (Previously Presented) A blending and fractionation process for obtaining an oil composition, the process including the steps of:
 - (a) blending a vegetable oil with an unsaturated oil having an oleic content of more than 20% and linoleic and linolenic contents of more than 30% in a predetermined ratio to form a mixture;
 - (b) heating the mixture at a temperature of between 50 °C to about 65 °C until all crystals are melted;
 - (c) cooling the liquid obtained from step (b) to produce nucleation and obtain a mixture of oil and crystals wherein the crystals are of a suitable size and shape which permit efficient separation of the oil and crystals; and
- (d) separating the mixture of oil and crystals to obtain the oil composition, wherein said oil composition contains saturated fatty acids, monounsaturated fatty acids and polyunsaturated fatty acids in a ratio of about 1:1:1.
- (Previously Presented) The process as claimed in claim 1, wherein step (d) the mixture of oil and crystals is separated using a low or high pressure filter press.
- (Original) The process as claimed in claim 1, wherein the ratio of the vegetable oil and the unsaturated oil is from 9:1 to 1:9 of vegetable oil:unsaturated oil, preferably from 9:1 to 5:5.
 - (Canceled).
 - (Canceled).

- (Original) The process as claimed in claim 1, wherein the crystallization is conducted between 4 to 24 hours.
- (Original) The process as claimed in claim 1, wherein the vegetable oil is palm oil, olein or stearin.
- (Original) The process as claimed in claim 1, wherein the unsaturated oil is soybean oil, sunflower oil, corn oil, canola oil or rapeseed oil.
- (Original) The process as claimed in claim 1, wherein the oil composition is utilized as salad oils or cooking oils.
- (Original) The process as claimed in claim 1, wherein the oil composition obtained is utilized in milk fat formula.
- (Original) The process as claimed in claim 1, wherein the stearins obtained are utilized in margarine and shortenings.
- (Previously Presented) An oil composition, which remains clear and liquid at 15 °C obtained from a process for obtaining oil composition which includes the steps of:
 - (a) blending a vegetable oil with an unsaturated oil having an oleic content of more than 20% and linoleic and linolenic contents of more than 30% in a predetermined ratio to form a mixture;
 - (b) heating the mixture at a temperature of between 50 °C to about 65 °C until all crystals are melted;
 - (c) cooling the liquid obtained from step (b) to produce nucleation and obtain a mixture of oil and crystals wherein the crystals are of a suitable size and shape which permit efficient separation of the oil and crystals; and
- (d) separating the mixture of oil and crystals to obtain the oil composition, wherein said oil composition contains saturated fatty acids, monounsaturated fatty acids and polyunsaturated fatty acids in a ratio of about 1:1:1.

1-WA/26977621 -3-

- (Original) The oil composition as claimed in claim 12, wherein the mixture of oil and crystals is separated using a low or high pressure filter press.
- (Original) The oil composition as claimed in claim 12, wherein the ratio of the vegetable oil and the unsaturated oil is from 9:1 to 1:9 of vegetable oil:unsaturated oil, preferably from 9:1 to 5:5.
 - 15. (Canceled).
 - 16. (Canceled).
- (Original) The oil composition as claimed in claim 12, wherein the crystallization is conducted between 4 to 24 hours.
- 18. (Original) The oil composition as claimed in claim 12, wherein the vegetable oil is palm oil, olein or stearin.
- (Original) The oil composition as claimed in claim 12, wherein the unsaturated oil is soybean oil, sunflower oil, corn oil, canola oil or rapeseed oil.
- (Original) The oil composition as claimed in claim 12, wherein the oil composition is utilized as salad oils or cooking oils.
- (Original) The oil composition as claimed in claim 12, wherein the oil composition obtained is utilized in milk fat formula.
- (Original) The oil composition as claimed in claim 12, wherein the stearins
 obtained are utilized in margarine and shortenings.
- (Previously Presented) The process of claim 1, wherein crystallization of the oil blends is performed with a crystallizer with a high cooling surface to oil volume ratio and high heat exchange coefficient.

- 24. (Previously Presented) The process of claim 1, wherein cooling of the liquid obtained from step (b) is carried out from a temperature of above the melting point of the oils to that of temperatures from about 8 °C to about 20 °C.
- (Previously Presented) The process of claim 1, wherein in step (c), crystal size
 is controlled to suitable polymorphs and of generally uniform size to allow ease of filtration.
- (Previously Presented) The process of claim 1, wherein step (d) involves filtration carried out at a temperature of at least about 10 °C below ambient.
- (Previously Presented) The oil of claims 12, wherein the oleic acid content is from 28% to 46% and palmitic acid content is from 18% to 28%.
- (Previously Presented) The oil of claim 12, wherein palmitic acid, oleic acid
 and linoleic acid are within the range of infant fats and milk from lactating mothers.

Please add the following new claims:

- An oil formulation for infant formulas, comprising about 5% to about 16%
 linoleic acid, about 30% to about 36% oleic acid and about 20% to about 25% palmitic acid.
- 30. The oil formulation of claim 29 comprising about 6% to about 16% linoleic acid,
 - 31. The oil formulation of claim 29 comprising about 36% oleic acid.
 - 32. The oil formulation of claim 29 comprising about 23% palmitic acid.

-5-